PORCELAIN STONE

KINORIGO®
Corte

TECHNICAL SHEET

COLOURS:	FINISHES:	SIZES:
 **GREY**	**NATURAL**	604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	HONED	1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	GRIP	900 X 600 X 10.5MM, 600 X 600 X 10.5 MM
 **SILVER**	**NATURAL**	604 X 300 X 10.5MM, 900 X 600 X 10.5MM, 1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	HONED	1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	GRIP	900 X 600 X 10.5MM, 600 X 600 X 10.5 MM
WHITE	**NATURAL**	604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	HONED	1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	GRIP	900 X 600 X 10.5MM, 600 X 600 X 10.5 MM
 **BEIGE**	**NATURAL**	604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	HONED	1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM

	GRIP	900 X 600 X 10.5MM, 600 X 600 X 10.5 MM
	**NATURAL**	604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM
	GRIP	900 X 600 X 10.5MM, 600 X 600 X 10.5 MM
DARK GREY	**HONED**	900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

	PTV				
	96 Rubber		55 Rubber		
	Wet	Dry	Wet	Dry	R Rating
Natural	23	65	26	58	R10
Grip	52	65	50	63	R11
Honed	AOR	AOR	AOR	AOR	R9

APPLICATION

Corfe is suitable for:

Exterior

Heavy Footfall

Interior

Skirting

Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,5%
Frost resistance	EN ISO 10545_12	YES

Slip resistance	DIN 51130	R10 Natural R11 Grip
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Natural	604 x 604 x 10.5mm	3	23.90	1,10	40	956	44,00
Natural	604 x 300 x 10.5mm	6	24,20	1,10	40	968	44,00
Natural/Honed	1200 x 600 x 10.5mm	2	33,32	1,44	35	1,168	50,40
Natural/Honed	1200 x 300 x 10.5mm	4	33,32	1,44	36	1,190	51,84
Grip/Natural/Honed	900 x 600 x 10.5mm	2	25,00	1,08	45	1,125	48,60
Grip/Natural/Honed	600 x 600 x 10.5mm	3	23,85	1,08	40	954	43,20
Natural/Honed	600 x 300 x 10.5mm	6	24,20	1,08	40	950	43,20




CORFE GREY



CORFE GREY



CORFE GREY



CORFE DARK-GREY



CORFE DARK-GREY



CORFE DARK-GREY



CORFE DARK-GREY



CORFE BEIGE



CORFE BEIGE



CORFE BEIGE



CORFE SILVER



CORFE SILVER

CORFE WHITE

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com