


*Agrarian***COLOURS:****TEA****CARAMEL****OYSTER****LATTE****FINISHES:****SIZES:****HONED**

145 X 595 X 10MM, 145 X 895 X 10MM, 445 X 895 X 10MM, 595 X 295 X 10MM

NATURAL

600 X 300 X 10MM

HONED

145 X 595 X 10MM, 145 X 895 X 10MM, 445 X 895 X 10MM, 595 X 295 X 10MM

NATURAL

600 X 300 X 10MM

NATURAL

600 X 300 X 10MM, 145 X 895 X 10MM

HONED

595 X 295 X 10MM, 145 X 595 X 10MM, 445 X 895 X 10MM

HONED

145 X 595 X 10MM, 145 X 895 X 10MM, 445 X 895 X 10MM, 595 X 295 X 10MM

NATURAL

600 X 300 X 10MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Agrarian is suitable for:

	PTV							
	96 Rubber		55 Rubber			Exterior	Heavy Footfall	Interior
	Wet	Dry	Wet	Dry	R Rating			
Natural	23	65	26	57	R9	Mosaics	Skirting	Stairs
Honed	AOR	AOR	AOR	AOR	R9			

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	0,5%
Flexular strength (MOR)	EN ISO 10545_4	>35 N/mm2
Abrasion resistance	EN ISO 10545_6	<175 mm3
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R9
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Honed	895 x 445 x 10 mm	3	29,66	1,215	30	889,80	36,45
Honed	595 x 295 x 10 mm	6	22,91	1,08	48	1051,68	51,84
Honed	895 x 145 x 10 mm	6	20,92	0,81	32	669,44	25,92
Honed	595 x 145 x 10 mm	10	18,55	0,90	40	742,00	36,00
Natural	600 x 300 x 10 mm	6	22,41	1,08	48	1075,68	51,84



AGRARIAN TEA



AGRARIAN CARAMEL



AGRARIAN OYSTER



AGRARIAN LATTE

