




*Corrado***COLOURS:****CREAM****WHITE****BASALT GREY****SILVER****TAUPE****FINISHES:****SIZES:****NATURAL**

1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM, 300 X 75 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM

NATURAL

1200 X 600 X 10 MM, 1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM

HONED

600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM, 300 X 75 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM, 300 X 75 X 10 MM

NATURAL

1200 X 600 X 10 MM, 1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 300 X 75 X 10 MM

HONED

600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM, 600 X 200 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 200 X 10 MM, 300 X 75 X 10 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

55 Rubber

	Wet	Dry	Wet	Dry	R Rating
--	-----	-----	-----	-----	----------

Natural	AOR	AOR	AOR	AOR	R9
---------	-----	-----	-----	-----	----

Honed	AOR	AOR	AOR	AOR	AOR
-------	-----	-----	-----	-----	-----

APPLICATION

Corvado is suitable for:



Exterior



Heavy Footfall



Interior



Skirting



Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,5%
Flexular strength (MOR)	EN ISO 10545_4	>35 N/mm2
Abrasion resistance	EN ISO 10545_6	126 mm3
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R9
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Natural/Honed	1200 x 600 x 10mm	2	36,381	1,44	30	1091,43	43,20
Natural/Honed	600 x 600 x 10mm	4	31,66	1,44	30	949,80	43,20
Natural/Honed	600 x 300 x 10mm	6	23,50	1,08	40	940,00	43,20
Natural/Honed	600 x 200 x 10mm	8	21,00	0,96	48	1008,00	46,08
Natural	300 x 75 x 10mm	17	7,91	0,38	84	664,44	31,92



CORVADO CREAM



CORVADO BASALT-GREY



CORVADO TAUPE



CORVADO WHITE



CORVADO SILVER



CORVADO SILVER

