



COLOURS:**BRONZE****CARBON****FINISHES:****NATURAL****SIZES:**

3000 X 1000 X 3MM

NATURAL

3000 X 1000 X 3MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

55 Rubber

Wet

Dry

Wet

Dry

R Rating

Natural

AOR

AOR

AOR

AOR

R9 A

APPLICATION

Metala is suitable for:



Exterior



Heavy Footfall



Interior



Mosaics



Skirting



Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,3%
Flexular strength (MOR)	EN ISO 10545_4	50 N/mm ²
Slip Resistance	DIN 51130	R9 A
Abrasion Resistance	EN ISO 10545_6	<175mm ³
Frost resistance	EN ISO 10545_12	YES
Stain resistance	EN ISO 10545_14	YES

Packaging Information



METALA BRONZE



METALA CARBON

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com