

PORCELAIN

KINORIGO®

Oxide

TECHNICAL SHEET


COLOURS:




GREY




IVORY



MOCHA



PEARL



VOGUE

FINISHES:

NATURAL

SIZES:

1000 X 1000, 3000 X 1000

NATURAL

1000 X 1000, 3000 X 1000

NATURAL

1000 X 1000, 3000 X 1000

NATURAL

1000 X 1000, 3000 X 1000

NATURAL

1000 X 1000, 3000 X 1000

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV	
96	55
Rubber	Rubber
R	
WetDry	WetDry
Rating	

KINORIGO® 20 52 - - -
Natural

APPLICATION

Oxide is suitable for:



Exterior



Heavy Footfall



Interior



Mosaics



Pool Edgings



Skirting



Stairs



Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications


Packaging Information



OXIDE GREY




OXIDE IVORY



OXIDE MOCHA



OXIDE PEARL



OXIDE VOGUE

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com