



*Agrarian***COLOURS:****TEA****CARAMEL****OYSTER****LATTE****FINISHES:****SIZES:****HONED**

145 X 595 X 10MM, 145 X 895 X 10MM, 445 X 895 X 10MM, 595 X 295 X 10MM

**NATURAL**

600 X 300 X 10MM

**HONED**

145 X 595 X 10MM, 145 X 895 X 10MM, 445 X 895 X 10MM, 595 X 295 X 10MM

**NATURAL**

600 X 300 X 10MM

**NATURAL**

600 X 300 X 10MM, 145 X 895 X 10MM

**HONED**

595 X 295 X 10MM, 145 X 595 X 10MM, 445 X 895 X 10MM

**HONED**

145 X 595 X 10MM, 145 X 895 X 10MM, 445 X 895 X 10MM, 595 X 295 X 10MM

**NATURAL**

600 X 300 X 10MM

**SLIP RESISTANCE**

Any queries about slip resistance please contact us.

**APPLICATION**

Agrarian is suitable for:

|         |           |     |           |     |          |                                                                                   |                                                                                     |                                                                                     |
|---------|-----------|-----|-----------|-----|----------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|         | PTV       |     |           |     |          |   |   |   |
|         | 96 Rubber |     | 55 Rubber |     |          | Exterior                                                                          | Heavy Footfall                                                                      | Interior                                                                            |
|         | Wet       | Dry | Wet       | Dry | R Rating |  |  |  |
| Natural | 23        | 65  | 26        | 57  | R9       | Mosaics                                                                           | Skirting                                                                            | Stairs                                                                              |
| Honed   | AOR       | AOR | AOR       | AOR | R9       |                                                                                   |                                                                                     |                                                                                     |

## ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.  
Take care when choosing your tiles, make sure you order a sample

## Technical Specifications

|                         | Norm            | Average value |
|-------------------------|-----------------|---------------|
| Water absorbtion        | EN ISO 10545_3  | 0,5%          |
| Flexular strength (MOR) | EN ISO 10545_4  | >35 N/mm2     |
| Abrasion resistance     | EN ISO 10545_6  | <175 mm3      |
| Frost resistance        | EN ISO 10545_12 | YES           |
| Slip resistance         | DIN 51130       | R9            |
| Stain resistance        | EN ISO 10545_14 | YES           |

## Packaging Information

| Finish  | Size              | Pieces/box | Weight/box | Sqm/box | Boxes/pallet | Weight/pallet | Sqm/pallet |
|---------|-------------------|------------|------------|---------|--------------|---------------|------------|
| Honed   | 895 x 445 x 10 mm | 3          | 29,66      | 1,215   | 30           | 889,80        | 36,45      |
| Honed   | 595 x 295 x 10 mm | 6          | 22,91      | 1,08    | 48           | 1051,68       | 51,84      |
| Honed   | 895 x 145 x 10 mm | 6          | 20,92      | 0,81    | 32           | 669,44        | 25,92      |
| Honed   | 595 x 145 x 10 mm | 10         | 18,55      | 0,90    | 40           | 742,00        | 36,00      |
| Natural | 600 x 300 x 10 mm | 6          | 22,41      | 1,08    | 48           | 1075,68       | 51,84      |



AGRARIAN TEA



AGRARIAN CARAMEL





AGRARIAN OYSTER



AGRARIAN LATTE

