


*Corfe***COLOURS:****GREY****SILVER****WHITE****BEIGE****FINISHES:****SIZES:****NATURAL**

604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 1200 X 600 X 10.5 MM,
1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM,
600 X 300 X 10.5 MM

HONED

1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X
10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM

GRIP

900 X 600 X 10.5MM, 600 X 600 X 10.5 MM

NATURAL

604 X 300 X 10.5MM, 900 X 600 X 10.5MM, 1200 X 600 X 10.5 MM,
1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM,
600 X 300 X 10.5 MM

HONED

1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X
10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM

GRIP

900 X 600 X 10.5MM, 600 X 600 X 10.5 MM

NATURAL

604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 1200 X 600 X 10.5 MM,
1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM,
600 X 300 X 10.5 MM

HONED

1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X
10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM

GRIP

900 X 600 X 10.5MM, 600 X 600 X 10.5 MM

NATURAL

604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 1200 X 600 X 10.5 MM,
1200 X 300 X 10.5MM, 900 X 600 X 10.5MM, 600 X 600 X 10.5 MM,
600 X 300 X 10.5 MM

HONED

1200 X 600 X 10.5 MM, 1200 X 300 X 10.5MM, 900 X 600 X
10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM



DARK GREY

GRIP

900 X 600 X 10.5MM, 600 X 600 X 10.5 MM

NATURAL

604 X 604 X 10.5MM, 604 X 300 X 10.5MM, 900 X 600 X 10.5MM,
600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM

GRIP

900 X 600 X 10.5MM, 600 X 600 X 10.5 MM

HONED

900 X 600 X 10.5MM, 600 X 600 X 10.5 MM, 600 X 300 X 10.5 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Corfe is suitable for:

PTV

96 Rubber

55 Rubber

Wet

Dry

Wet

Dry

R Rating

Natural

23

65

26

58

R10

Grip

52

65

50

63

R11

Honed

AOR

AOR

AOR

AOR

R9



Exterior



Heavy Footfall



Interior



Skirting



Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,5%
Frost resistance	EN ISO 10545_12	YES

Slip resistance	DIN 51130	R10 Natural
		R11 Grip
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Natural	604 x 604 x 10.5mm	3	23,90	1,10	40	956	44,00
Natural	604 x 300 x 10.5mm	6	24,20	1,10	40	968	44,00
Natural/Honed	1200 x 600 x 10.5mm	2	33,32	1,44	35	1,168	50,40
Natural/Honed	1200 x 300 x 10.5mm	4	33,32	1,44	36	1,190	51,84
Grip/Natural/Honed	900 x 600 x 10.5mm	2	25,00	1,08	45	1,125	48,60
Grip/Natural/Honed	600 x 600 x 10.5mm	3	23,85	1,08	40	954	43,20
Natural/Honed	600 x 300 x 10.5mm	6	24,20	1,08	40	950	43,20




CORFE GREY



CORFE GREY



CORFE GREY



CORFE DARK-GREY



CORFE DARK-GREY



CORFE DARK-GREY



CORFE DARK-GREY



CORFE BEIGE



CORFE BEIGE



CORFE BEIGE



CORFE SILVER



CORFE SILVER



CORFE WHITE

