

*Smoky Grey***COLOURS:****SMOKY GREY****FINISHES:****SIZES:****BRUSHED**

400 X 400 (X20), 400 X 400 (X30), 500 X 500 (X20), 500 X 500 (X30), 600 X 300 (X20), 600 X 600 (X20)

FLAMED

400 X 400 (X20), 400 X 400 (X30), 500 X 500 (X20), 500 X 500 (X30), 600 X 300 (X20), 600 X 600 (X20)

HONED

400 X 400 (X20), 400 X 400 (X30), 500 X 500 (X20), 500 X 500 (X30), 600 X 300 (X20), 600 X 600 (X20)

POLISHED

400 X 400 (X20), 400 X 400 (X30), 500 X 500 (X20), 500 X 500 (X30), 600 X 300 (X20), 600 X 600 (X20)

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Smoky Grey is suitable for:

PTV

96 Rubber

55 Rubber

Wet

Dry

Wet

Dry

R Rating

Honed

25

38

31

66

n/a

Polished

–

–

–

–

n/a

Flamed

56

70

59

92

n/a



Exterior



Heavy Footfall



Pool Edgings



Skirting



Stairs



Wet Areas

ORDER A FREE SAMPLE


Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

Packaging Information



SMOKY GREY ALL



SMOKY GREY ALL



SMOKY GREY ALL



SMOKY GREY ALL



SMOKY GREY ALL



SMOKY GREY ALL



SMOKY GREY ALL

