KINORIGO.
Windsor Buff Blue

COLOURS: SIZES: **FINISHES:**

SAWN

WINDSOR BUFF BLUE

600 X 600 (X50), 600 X RANDOM LENGTH (X50)

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

Dry

AOR

Wet

AOR

APPLICATION

Windsor Buff Blue is suitable for:



Exterior



Heavy Footfall



Pool Edgings



Skirting



Stairs



Wet Areas

ORDER A FREE SAMPLE

R Rating

AOR

+44(0) 24 7642 2580

96 Rubber

Dry

AOR

Wet

AOR

Finish

Sawn

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact. Take care when choosing your tiles, make sure you order a sample

Technical Specifications

Packaging Information



WINDSOR BUFF BLUE WINDSOR-BUFF-BLUE



WINDSOR BUFF BLUE WINDSOR-BUFF-BLUE



WINDSOR BUFF BLUE WINDSOR-BUFF-BLUE



WINDSOR BUFF BLUE WINDSOR-BUFF-BLUE



WINDSOR BUFF BLUE WINDSOR-BUFF-BLUE



WINDSOR BUFF BLUE WINDSOR-BUFF-BLUE

