PORCELAIN

KINORIGO®

TECHNICAL SHEET

Cleo 20 Mm

COLOURS:	FINISHES:	SIZES:
SAND	GRIP	750 X 750 X 20MM
CHALK	GRIP	750 X 750 X 20MM
FURNACE	GRIP	600 X 600 X 20 MM, 750 X 750 X 20MM, 906 X 604 X 20MM
MOON	GRIP	750 X 750 X 20MM, 600 X 600 X 20 MM, 906 X 604 X 20MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Cleo 20mm is suitable for:

	PTV				
	96 Rubber		55 Rubber		
	Wet	Dry	Wet	Dry	R Rating
Grip	AOR	AOR	AOR	AOR	R11 A+B+C

Exterior

Heavy Footfall

Pool Edgings

Stairs

Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R11 A+B+C
Stain resistance	EN ISO 10545_14	YES

Packaging Information

CLEO 20MM SAND

CLEO 20MM MOON

+44(0) 24 7642 2580 design@kinorigo.com