20MM PORCELAIN

KINORIGO®

Grove 20 Mm

TECHNICAL SHEET

COLOURS:	FINISHES:	SIZES:
 **ENGLISH WALNUT**	**GRIP**	600 X 600 X 20 MM, 1200 X 400 X 20MM, 1200 X 200 X 20MM
 **AKASA**	**GRIP**	1200 X 200 X 20MM, 1200 X 400 X 20MM, 600 X 600 X 20 MM
 **HOLM OAK**	**GRIP**	1200 X 400 X 20MM, 600 X 600 X 20 MM, 1200 X 200 X 20MM
 **WHITE MAPLE**	**GRIP**	1200 X 200 X 20MM, 1200 X 400 X 20MM, 600 X 600 X 20 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Grove 20mm is suitable for:

	PTV				
	96 Rubber		55 Rubber		
	Wet	Dry	Wet	Dry	R Rating
Grip	AOR	AOR	AOR	AOR	R11 A+B+C


Exterior


Heavy Footfall


Pool Edgings


Stairs


Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,04%
Flexular strength (MOR)	EN ISO 10545_4	53 N/mm^2
Abrasion Resistance	EN ISO 10545_6	<128mm^3
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R11 A+B+C
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Weight/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Grip	600 x 600 x 20mm	32	30	960	21,60
Grip	1200 x 400 x 20mm	48	24	1152	23,04



GROVE 20MM HOLM-OAK



GROVE 20MM HOLM-OAK



GROVE 20MM HOLM-OAK



GROVE 20MM HOLM-OAK



GROVE 20MM HOLM-OAK



GROVE 20MM HOLM-OAK



GROVE 20MM ENGLISH-WALNUT



GROVE 20MM ENGLISH-WALNUT



GROVE 20MM ENGLISH-WALNUT



GROVE 20MM ENGLISH-WALNUT



GROVE 20MM ENGLISH-WALNUT



GROVE 20MM ENGLISH-WALNUT



GROVE 20MM AKASA



GROVE 20MM AKASA



GROVE 20MM AKASA



GROVE 20MM WHITE-MAPLE



GROVE 20MM WHITE-MAPLE



GROVE 20MM WHITE-MAPLE



GROVE 20MM WHITE-MAPLE

+44(0) 24 7642 2580 design@kinorigo.com