


*Terra firma 20mm*

**COLOURS:****FINISHES:****SIZES:****CAMEL****GRIP**

600 X 600 X 20 MM, 603 X 603 X 20 MM

**CLOUDY****GRIP**

600 X 600 X 20 MM, 603 X 603 X 20 MM

**SLIP RESISTANCE**

Any queries about slip resistance please contact us.

PTV

96 Rubber

96 Rubber

Wet

Dry

Wet

Dry

R Rating

Grip

AOR

AOR

AOR

AOR

R11

**APPLICATION**

Terra Firma 20mm is suitable for:



Exterior



Heavy Footfall



Pool Edgings



Stairs



Wet Areas

**ORDER A FREE SAMPLE**

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.  
Take care when choosing your tiles, make sure you order a sample

## Technical Specifications

|                         | Norm            | Average value        |
|-------------------------|-----------------|----------------------|
| Water absorbtion        | EN ISO 10545_3  | 0.05%                |
| Abrasion resistance     | EN ISO 10545_6  | 145mm <sup>3</sup>   |
| Flexular strength (MOR) | EN ISO 10545_4  | 50 N/mm <sup>2</sup> |
| Breaking strength       | EN ISO 10545_4  | 13600 N              |
| Slip resistance         | DIN 51130       | R11                  |
| Frost resistance        | EN ISO 10545_12 | YES                  |
| Stain resistance        | EN ISO 10545_14 | YES                  |

## Packaging Information

| Finish | Size             | Pieces/box | Weight/box | Sqm/box | Boxes/pallet | Weight/pallet | Sqm/pallet |
|--------|------------------|------------|------------|---------|--------------|---------------|------------|
| Grip   | 603 x 603 x 20mm | 2          | 33,5       | 0,727   | 32           | 1072          | 23,27      |
| Grip   | 600 x 600 x 20mm | 2          | 32,5       | 0,720   | 32           | 1040          | 23,04      |



TERRA FIRMA 20MM CAMEL



TERRA FIRMA 20MM CAMEL



TERRA FIRMA 20MM CAMEL



TERRA FIRMA 20MM CLOUDY



TERRA FIRMA 20MM CLOUDY



TERRA FIRMA 20MM CLOUDY

**KINORIGO®**  
live.design.

+44(0) 24 7642 2580    [design@kinorigo.com](mailto:design@kinorigo.com)