

COLOURS:



GOLD



SILVER

FINISHES:

GRIP

SIZES:

600 X 600 X 20 MM, 603 X 603 X 20 MM

600 X 600 X 20 MM, 603 X 603 X 20 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

55 Rubber

Wet

Dry

Wet

Dry

R Rating

Grip

AOR

AOR

AOR

AOR

R11 A+B+C

APPLICATION

Cephas 20mm is suitable for:



Exterior



Heavy Footfall



Pool Edgings



Stairs



Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	0,05%
Breaking strength	EN ISO 10545_4	3500 N 10.5 mm
Flexular strength (MOR)	EN ISO 10545_4	50 N/mm2
Abrasion resistance	EN ISO 10545_6	145 mm3
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R11 A+B+C
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Grip	600 x 600 x 20 mm	2	33,6	0,720	32	1075,2	23,04
Grip	603 x 603 x 20 mm	2	33,5	0,727	32	1072	23,27



CEPHAS 20MM GOLD



CEPHAS 20MM GOLD



CEPHAS 20MM SILVER



CEPHAS 20MM SILVER



CEPHAS 20MM SILVER



CEPHAS 20MM SILVER