

PORCELAIN

KINORIGO®


Cleo 20mm

TECHNICAL SHEET

COLOURS:



SAND



CHALK



FURNACE



MOON

FINISHES:

GRIP

SIZES:

750 X 750 X 20MM

GRIP

750 X 750 X 20MM

GRIP

600 X 600 X 20 MM, 750 X 750 X 20MM, 906 X 604 X 20MM

GRIP

750 X 750 X 20MM, 600 X 600 X 20 MM, 906 X 604 X 20MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Cleo 20mm is suitable for:

PTV								
96 Rubber		55 Rubber				Exterior	Heavy Footfall	Pool Edgings
Wet	Dry	Wet	Dry	R Rating				
Grip	AOR	AOR	AOR	AOR	R11 A+B+C	Stairs	Wet Areas	

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R11 A+B+C
Stain resistance	EN ISO 10545_14	YES

Packaging Information



CLEO 20MM SAND



CLEO 20MM MOON

