PORCELAIN

KINORIGO®
Stark

TECHNICAL SHEET

COLOURS:	FINISHES:	SIZES:
WHITE	**NATURAL**	1000 X 1000 X 6MM, 1500 X 1000 X 6MM, 1500 X 1500 X 6MM, 1500 X 750 X 6MM, 3000 X 1000 X 6MM, 3000 X 1500 X 6MM, 750 X 375 X 6MM, 750 X 750 X 6MM
	POLISHED	1000 X 1000 X 6MM, 1500 X 1000 X 6MM, 1500 X 1500 X 6MM, 1500 X 750 X 6MM, 3000 X 1000 X 6MM, 3000 X 1500 X 6MM, 750 X 375 X 6MM, 750 X 750 X 6MM
 **BLACK**	**NATURAL**	1000 X 1000 X 6MM, 1500 X 1000 X 6MM, 1500 X 1500 X 6MM, 1500 X 750 X 6MM, 3000 X 1000 X 6MM, 3000 X 1500 X 6MM, 750 X 375 X 6MM, 750 X 750 X 6MM
	POLISHED	1000 X 1000 X 6MM, 1500 X 1000 X 6MM, 1500 X 1500 X 6MM, 1500 X 750 X 6MM, 3000 X 1000 X 6MM, 3000 X 1500 X 6MM, 750 X 375 X 6MM, 750 X 750 X 6MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

	PTV				
	96 Rubber		55 Rubber		
	Wet	Dry	Wet	Dry	R Rating
Natural	AOR	AOR	AOR	AOR	R9
Polished	AOR	AOR	AOR	AOR	AOR

APPLICATION

Stark is suitable for:

- Exterior
- Heavy Footfall
- Interior
- Mosaics
- Skirting
- Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580 | Request 100 X 100 sample | design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0.5%
Breaking strength	EN ISO 10545_4	>1300 N
Slip resistance	DIN 51130	R9
Frost resistance	EN ISO 10545_12	YES
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/pallet	Weight/pallet	Sqm/pallet
Natural/Polished	3000 x 1500 x 6mm	12	870,00	54,00
Natural/Polished	3000 x 1000 x 6mm	16	776,00	48,00
Natural/Polished	1500 x 1500 x 6mm	24	822,50	54,00
Natural/Polished	1500 x 1000 x 6mm	18	432,00	27,00
Natural/Polished	1500 x 750 x 6mm	24	419,00	27,00
Natural/Polished	1000 x 1000 x 6mm	24	382,50	24,00
Natural/Polished	750 x 750 x 6mm	54	466,32	30,38
Natural/Polished	750 x 375 x 6mm	120	513,50	33,75



STARK BLACK



STARK BLACK



STARK WHITE



STARK WHITE

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com