




*Absolute 10***COLOURS:****CREMA MARFIL****GAUDI STONE****WHITE CALACATTA****MARQUINA****SILVER TRAVERTINE****FINISHES:****SIZES:****HONED**

600 X 600 X 10 MM, 1200 X 600 X 10 MM, 600 X 300 X 10MM

NATURAL

600 X 600 X 10 MM, 1200 X 600 X 10 MM, 600 X 300 X 10MM

POLISHED

600 X 600 X 10 MM, 1200 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 600 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 600 X 600 X 10 MM




BIANCO

HONED	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
NATURAL	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
POLISHED	1200 X 600 X 10 MM, 600 X 600 X 10 MM



BLUE DE SAVOIE

HONED	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
NATURAL	1200 X 600 X 10 MM, 600 X 600 X 10 MM
POLISHED	1200 X 600 X 10 MM, 600 X 600 X 10 MM



CALACATTA

HONED	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
NATURAL	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
POLISHED	1200 X 600 X 10 MM, 600 X 600 X 10 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Absolute 10 is suitable for:

	PTV				
	96 Rubber		96 Rubber		R Rating
	Wet	Dry	Wet	Dry	
Natural	AOR	AOR	AOR	AOR	AOR
Polished	AOR	AOR	AOR	AOR	AOR
Honed	AOR	AOR	AOR	AOR	AOR



Exterior



Heavy Footfall



Interior



Skirting



Stairs



Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications


	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,06%
Flexular strength (MOR)	EN ISO 10545_4	>45 N/mm ²
Breaking strength	EN ISO 10545_4	2500 N
Abrasion Resistance	EN ISO 10545_6	<142mm ³
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	It can vary according to the surface finish
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Natural, Polished, Honed	1200 x 600 x 10mm	2	29,52	1,42	25	738	36
Natural, Polished, Honed	600 x 600 x 10mm	3	22,46	1,08	32	718,72	34,56
Natural, Polished, Honed	600 x 300 x 10mm	6	22,00	1,08	40	880	43,20



ABSOLUTE 10 CREMA-MARFIL



ABSOLUTE 10 CREMA-MARFIL



ABSOLUTE 10 CREMA-MARFIL



ABSOLUTE 10 GAUDI-STONE




ABSOLUTE 10 GAUDI-STONE



ABSOLUTE 10 GAUDI-STONE



ABSOLUTE 10 GAUDI-STONE



ABSOLUTE 10 WHITE-CALACATTA



ABSOLUTE 10 WHITE-CALACATTA



ABSOLUTE 10 WHITE-CALACATTA



ABSOLUTE 10 MARQUINA



ABSOLUTE 10 MARQUINA



ABSOLUTE 10 SILVER-TRAVERTINE



ABSOLUTE 10 SILVER-TRAVERTINE



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BLUE-DE-SAVOIE



ABSOLUTE 10 BLUE-DE-SAVOIE



ABSOLUTE 10 BLUE-DE-SAVOIE



ABSOLUTE 10 CALACATTA



ABSOLUTE 10 CALACATTA



ABSOLUTE 10 CALACATTA

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com