




*Absolute 10***COLOURS:****CREMA MARFIL****GAUDI STONE****WHITE CALACATTA****MARQUINA****SILVER TRAVERTINE****FINISHES:****SIZES:****HONED**

600 X 600 X 10 MM, 1200 X 600 X 10 MM, 600 X 300 X 10MM

NATURAL

600 X 600 X 10 MM, 1200 X 600 X 10 MM, 600 X 300 X 10MM

POLISHED

600 X 600 X 10 MM, 1200 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 600 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 600 X 10 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 600 X 600 X 10 MM




BIANCO

HONED	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
NATURAL	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
POLISHED	1200 X 600 X 10 MM, 600 X 600 X 10 MM



BLUE DE SAVOIE

HONED	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
NATURAL	1200 X 600 X 10 MM, 600 X 600 X 10 MM
POLISHED	1200 X 600 X 10 MM, 600 X 600 X 10 MM



CALACATTA

HONED	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
NATURAL	1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM
POLISHED	1200 X 600 X 10 MM, 600 X 600 X 10 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Absolute 10 is suitable for:

	PTV				
	96 Rubber		96 Rubber		
	Wet	Dry	Wet	Dry	R Rating
Natural	AOR	AOR	AOR	AOR	AOR
Polished	AOR	AOR	AOR	AOR	AOR
Honed	AOR	AOR	AOR	AOR	AOR



Exterior



Heavy Footfall



Interior



Skirting



Stairs



Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications


	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,06%
Flexular strength (MOR)	EN ISO 10545_4	>45 N/mm ²
Breaking strength	EN ISO 10545_4	2500 N
Abrasion Resistance	EN ISO 10545_6	<142mm ³
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	It can vary according to the surface finish
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Natural, Polished, Honed	1200 x 600 x 10mm	2	29,52	1,42	25	738	36
Natural, Polished, Honed	600 x 600 x 10mm	3	22,46	1,08	32	718,72	34,56
Natural, Polished, Honed	600 x 300 x 10mm	6	22,00	1,08	40	880	43,20



ABSOLUTE 10 CREMA-MARFIL



ABSOLUTE 10 CREMA-MARFIL



ABSOLUTE 10 CREMA-MARFIL



ABSOLUTE 10 GAUDI-STONE




ABSOLUTE 10 GAUDI-STONE



ABSOLUTE 10 GAUDI-STONE



ABSOLUTE 10 GAUDI-STONE



ABSOLUTE 10 WHITE-CALACATTA



ABSOLUTE 10 WHITE-CALACATTA



ABSOLUTE 10 WHITE-CALACATTA



ABSOLUTE 10 MARQUINA



ABSOLUTE 10 MARQUINA



ABSOLUTE 10 SILVER-TRAVERTINE



ABSOLUTE 10 SILVER-TRAVERTINE



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BIANCO




ABSOLUTE 10 BIANCO



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BIANCO



ABSOLUTE 10 BLUE-DE-SAVOIE



ABSOLUTE 10 BLUE-DE-SAVOIE



ABSOLUTE 10 BLUE-DE-SAVOIE



ABSOLUTE 10 CALACATTA



ABSOLUTE 10 CALACATTA



ABSOLUTE 10 CALACATTA

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com