


*Arona***COLOURS:****SLATE****GREY****DOVE****CREAM****FINISHES:****SIZES:****NATURAL**

900 X 900 X 11 MM, 603 X 603 X 10 MM, 600 X 600 X 10 MM

HONED

600 X 300 X 10MM, 1200 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM

HONED

900 X 900 X 11 MM, 600 X 600 X 10 MM, 600 X 300 X 10MM, 1200 X 600 X 10 MM

**BUSHHAM
MERED**

600 X 600 X 10 MM, 600 X 300 X 10MM

**BUSHHAM
MERED**

600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

600 X 300 X 10MM

HONED

900 X 900 X 11 MM

**BUSHHAM
MERED**

600 X 600 X 10 MM, 600 X 300 X 10MM

HONED

900 X 900 X 11 MM, 600 X 600 X 10 MM

NATURAL

600 X 300 X 10MM, 1200 X 600 X 10 MM



CLAY

HONED

900 X 900 X 11 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM, 1200 X 600 X 10 MM

NATURAL

900 X 900 X 11 MM, 600 X 300 X 10MM, 603 X 603 X 10 MM, 600 X 600 X 10 MM, 1200 X 600 X 10 MM

**BUSHHAM
MERED**

600 X 300 X 10MM, 600 X 600 X 10 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

55 Rubber

Wet

Dry

Wet

Dry

R Rating

Natural

AOR

AOR

AOR

AOR

R10 A+B

Honed

AOR

AOR

AOR

AOR

AOR

Bushhammered

AOR

AOR

AOR

AOR

R11 A+B+C

APPLICATION

Arona is suitable for:



Exterior



Heavy Footfall



Interior



Mosaics



Pool Edgings



Skirting



Stairs



Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	0.05%
Abrasion resistance	EN ISO 10545_6	145mm ³
Flexular strength (MOR)	EN ISO 10545_4	50 N/mm ²
Breaking strength	EN ISO 10545_4	3000 N
		R10 A+B Nat
Slip resistance	DIN 51130	R11 A+B+C
		Bushhammered
Frost resistance	EN ISO 10545_12	YES
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Natural/Honed	1200 x 600 x 10mm	2	32,5	1,44	36	1170	51,84
Natural/Honed	900 x 900 x 11mm	2	40	1,62	30	1200	48,60
Natural/Honed/Bus hhammered	600 x 600 x 10mm	4	32	1,44	32	1024	46,08
Natural/Honed/Bus hhammered	600 x 300 x 10mm	8	32	1,44	32	1024	46,08
Natural	603 x 603 x 10mm	4	32	1,454	32	1040	46,54




ARONA SLATE



ARONA SLATE



ARONA GREY



ARONA GREY



ARONA GREY



ARONA DOVE



ARONA DOVE



ARONA DOVE



ARONA DOVE



ARONA CREAM



ARONA CREAM



ARONA CREAM



ARONA CLAY



ARONA CLAY



ARONA CLAY

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com