



*Basaltino***COLOURS:****GREY****DARK****BIANCO****BLACK****BEIGE****FINISHES:****SIZES:****NATURAL**

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

GRIP

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

HONED

1200 X 600 X 10 MM, 600 X 600 X 9 MM, 600 X 300 X 9 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

GRIP

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

GRIP

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

HONED

600 X 300 X 9 MM, 1200 X 600 X 10 MM, 600 X 600 X 9 MM

GRIP

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

GRIP

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

HONED

1200 X 600 X 10 MM, 600 X 300 X 9 MM, 600 X 600 X 9 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

APPLICATION

Basaltino is suitable for:

PTV

96 Rubber

55 Rubber

Wet

Dry

Wet

Dry

R Rating

Natural

AOR

AOR

AOR

AOR

R10 A+B

Honed

AOR

AOR

AOR

AOR

AOR

Grip

AOR

AOR

AOR

AOR

R11 A+B+C



Exterior



Heavy Footfall



Interior



Skirting



Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.

Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,1%
Breaking strength	EN ISO 10545_4	1700 N
Flexular strength (MOR)	EN ISO 10545_4	50 N/mm2
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R10 A+B Natural R11 A+B+C Grip
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Sqm/box	Boxes/pallet	Sqm/pallet
Natural	1200 x 600 x 10 mm	2	1,44	24	34,56
Honed	1200 x 600 x 10 mm	2	1,44	25	36
Grip	1200 x 600 x 10 mm	1	0,72	50	36
Natural/Honed/Grip	600 x 600 x 9 mm	3	1,08	40	43,2
Natural/Honed/Grip	600 x 300 x 9 mm	5	0,9	56	50,4



BASALTINO GREY



BASALTINO DARK



BASALTINO BIANCO



BASALTINO BLACK



BASALTINO BLACK



BASALTINO BEIGE



BASALTINO BEIGE