

Clarion

COLOURS:

FINISHES:

SIZES:



BUTTERSCOTCH

NATURAL

600 X 300 X 10MM, 895 X 145 X 10MM, 900 X 450 X 10MM



CAPPUCINO

NATURAL


600 X 300 X 10MM, 895 X 145 X 10MM, 900 X 450 X 10MM



COFFEE

NATURAL

600 X 300 X 10MM, 895 X 145 X 10MM, 900 X 450 X 10MM



STEAM

NATURAL

600 X 300 X 10MM, 895 X 145 X 10MM, 900 X 450 X 10MM



STEEL

NATURAL

600 X 300 X 10MM, 895 X 145 X 10MM, 900 X 450 X 10MM



NATURAL

600 X 300 X 10MM, 895 X 145 X 10MM, 900 X 450 X 10MM

SUGAR

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

55 Rubber

Wet

Dry

Wet

Dry

R Rating

Natural

AOR

AOR

AOR

AOR

R9

APPLICATION

Clarion is suitable for:



Exterior



Heavy Footfall



Interior



Mosaics



Skirting



Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,5%
Flexular strength (MOR)	EN ISO 10545_4	>35 N/mm2
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R9
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Natural	900 x 450 x 10mm	2	20,50	0,81	40	820,00	32,40
Natural	600 x 300 x 10mm	6	22,30	1,08	48	1070,40	51,84



CLARION BUTTERSCOTCH



CLARION CAPPUCINO



CLARION COFFEE



CLARION STEAM



CLARION SUGAR



CLARION STEEL

