



COLOURS:**BISQUE****DARK BISQUE****DIM GREY****WHITE LACE****FINISHES:****NATURAL**

1200 X 1200 X 10.5MM, 1200 X 600 X 10.5 MM, 600 X 300 X 10.5
MM, 600 X 600 X 10.5 MM

NATURAL

1200 X 1200 X 10.5MM, 1200 X 600 X 10.5 MM, 600 X 300 X 10.5
MM, 600 X 600 X 10.5 MM

NATURAL

1200 X 1200 X 10.5MM, 1200 X 600 X 10.5 MM, 600 X 300 X 10.5
MM, 600 X 600 X 10.5 MM

NATURAL

1200 X 1200 X 10.5MM, 1200 X 600 X 10.5 MM, 600 X 300 X 10.5
MM, 600 X 600 X 10.5 MM

SIZES:**SLIP RESISTANCE**

Any queries about slip
resistance please contact us.

APPLICATION

Moderno is suitable for:

PTV							
96 Rubber		55 Rubber			Exterior	Heavy Footfall	Interior
Wet	Dry	Wet	Dry	R Rating			
Natural	AOR	AOR	AOR	AOR	R10 A	Skirting	Stairs

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,1%
Flexular strength (MOR)	EN ISO 10545_4	>45 N/mm ²
Breaking strength	EN ISO 10545_4	3000 N
Abrasion Resistance	EN ISO 10545_6	<140mm ³
Frost resistance	EN ISO 10545_12	YES
Slip resistance	DIN 51130	R10 A
Stain resistance	EN ISO 10545_14	YES

Packaging Information



MODERNO BISQUE



MODERNO BISQUE



MODERNO BISQUE



MODERNO BISQUE



MODERNO BISQUE



MODERNO DARK-BISQUE



MODERNO DARK-BISQUE



MODERNO DARK-BISQUE



MODERNO DARK-BISQUE



MODERNO DIM-GREY



MODERNO DIM-GREY



MODERNO DIM-GREY



MODERNO DIM-GREY



MODERNO WHITE-LACE



MODERNO WHITE-LACE



MODERNO WHITE-LACE

