


*Pazzo***COLOURS:****STONE****GRAVEL****LAVA****SAND****FINISHES:****SIZES:****POLISHED**

1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED

1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

POLISHED


1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM



BRIGHT

POLISHED


1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM



COAL

POLISHED


1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM



DIM

POLISHED

1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM



FADE

POLISHED

1200 X 600 X 10 MM, 200 X 200 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

**BUSHHAM
MERED**

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

NATURAL

1200 X 600 X 10 MM, 600 X 300 X 10MM, 600 X 600 X 10 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

55 Rubber

APPLICATION

Pazzo is suitable for:



Exterior



Heavy Footfall



Interior

	Wet	Dry	Wet	Dry	R Rating			
Natural	49	AOR	50	AOR	AOR	Pool Edgings	Skirting	Stairs
Polished	AOR	AOR	AOR	AOR	AOR			
Bushhammered	50	AOR	51	AOR	AOR	Wet Areas		

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications


	Norm	Average value
Water absorbtion	EN ISO 10545_3	<0,6%
Flexular strength (MOR)	EN ISO 10545_4	50 N/mm ²
Breaking strength	EN ISO 10545_4	2500 N
Abrasion Resistance	EN ISO 10545_6	142 mm ³
Frost resistance	EN ISO 10545_12	YES
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Sqm/pallet
Natural/Polished/Bushhammered	1200 x 600 x 10mm	2	26,42	1,44	25	36,00
Natural/Polished/Bushhammered	600 x 600 x 10mm	3	26,42	1,08	32	34,56
Natural/Polished/Bushhammered	600 x 300 x 10mm	5	26,42	0,90	40	36,00
Natural/Polished/Bushhammered	200 x 200 x 10mm	9	20,25	0,36	76	27,36




PAZZO GRAVEL



PAZZO GRAVEL



PAZZO GRAVEL



PAZZO LAVA



PAZZO COAL



PAZZO COAL



PAZZO DIM



PAZZO DIM



PAZZO FADE



PAZZO FADE



PAZZO STONE



PAZZO STONE



PAZZO STONE



PAZZO SAND



PAZZO SAND




PAZZO SAND



PAZZO SAND



PAZZO SAND



PAZZO BRIGHT



PAZZO BRIGHT



PAZZO BRIGHT



PAZZO BRIGHT

