
PORCELAIN STONE

KINORIGO®

Technical Marble

TECHNICAL SHEET

COLOURS:	FINISHES:	SIZES:
 **CALACATTA**	**NATURAL**	1192 X 595 X 10.5MM, 295 X 295 X 9.5MM, 595 X 295 X 9.5 MM, 595 X 595 X 9.5MM, 795 X 395 X 11MM, 795 X 795 X 11MM
	POLISHED	1192 X 595 X 10.5MM, 295 X 295 X 9.5MM, 595 X 295 X 9.5 MM, 595 X 595 X 9.5MM, 795 X 395 X 11MM, 795 X 795 X 11MM
 **CARRARA**	**NATURAL**	1192 X 595 X 10.5MM, 295 X 295 X 9.5MM, 595 X 295 X 9.5 MM, 595 X 595 X 9.5MM, 795 X 395 X 11MM, 795 X 795 X 11MM
	POLISHED	1192 X 595 X 10.5MM, 295 X 295 X 9.5MM, 595 X 295 X 9.5 MM, 595 X 595 X 9.5MM, 795 X 395 X 11MM, 795 X 795 X 11MM
 **STATUARIO**	**NATURAL**	1192 X 595 X 10.5MM, 295 X 295 X 9.5MM, 595 X 295 X 9.5 MM, 595 X 295 X 9.5 MM, 795 X 395 X 11MM, 795 X 795 X 11MM
	POLISHED	1192 X 595 X 10.5MM, 295 X 295 X 9.5MM, 595 X 295 X 9.5 MM, 595 X 595 X 9.5MM, 795 X 395 X 11MM, 795 X 795 X 11MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

	PTV				
	96 Rubber		55 Rubber		
	Wet	Dry	Wet	Dry	R Rating
Natural	28	48	13	50	–

APPLICATION

Technical Marble is suitable for:

Interior

Skirting

Stairs

Polished – – – – –

ORDER A FREE SAMPLE

+44(0) 24 7642 2580 Request 100 X 100 sample design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

Packaging Information



TECHNICAL MARBLE CALACATTA



TECHNICAL MARBLE CALACATTA



TECHNICAL MARBLE CARRARA



TECHNICAL MARBLE CARRARA



TECHNICAL MARBLE STATUARIO



TECHNICAL MARBLE STATUARIO