

*Terra firma 20mm***COLOURS:****CAMEL****CLOUDY****FINISHES:****GRIP****SIZES:**

600 X 600 X 20 MM, 603 X 603 X 20 MM

GRIP

600 X 600 X 20 MM, 603 X 603 X 20 MM

SLIP RESISTANCE

Any queries about slip resistance please contact us.

PTV

96 Rubber

96 Rubber

Wet

Dry

Wet

Dry

R Rating

Grip

AOR

AOR

AOR

AOR

R11

APPLICATION

Terra Firma 20mm is suitable for:



Exterior



Heavy Footfall



Pool Edgings



Stairs



Wet Areas

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

	Norm	Average value
Water absorbtion	EN ISO 10545_3	0.05%
Abrasion resistance	EN ISO 10545_6	145mm ³
Flexular strength (MOR)	EN ISO 10545_4	50 N/mm ²
Breaking strength	EN ISO 10545_4	13600 N
Slip resistance	DIN 51130	R11
Frost resistance	EN ISO 10545_12	YES
Stain resistance	EN ISO 10545_14	YES

Packaging Information

Finish	Size	Pieces/box	Weight/box	Sqm/box	Boxes/pallet	Weight/pallet	Sqm/pallet
Grip	603 x 603 x 20mm	2	33,5	0,727	32	1072	23,27
Grip	600 x 600 x 20mm	2	32,5	0,720	32	1040	23,04



TERRA FIRMA 20MM CAMEL



TERRA FIRMA 20MM CAMEL



TERRA FIRMA 20MM CAMEL



TERRA FIRMA 20MM CLOUDY



TERRA FIRMA 20MM CLOUDY



TERRA FIRMA 20MM CLOUDY

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com