

Yorklane 20mm

COLOURS:



GREY/BUFF

FINISHES:

GRIP

SIZES:

1200 X 600

SLIP RESISTANCE

Any queries about slip resistance please contact us.

Grip	PTV		96 Rubber		R Rating
	Wet	Dry	Wet	Dry	
+56	+72	-	-	R12	

APPLICATION

Yorklane 20mm is suitable for:



Exterior



Heavy Footfall



Pool Edgings



Skirting

ORDER A FREE SAMPLE

+44(0) 24 7642 2580

Request 100 X 100 sample

design@kinorigo.com

Colour representations on this sheet may not be exact.
Take care when choosing your tiles, make sure you order a sample

Technical Specifications

Packaging Information



YORKLANE 20MM GREY-BUFF



YORKLANE 20MM GREY-BUFF



YORKLANE 20MM GREY-BUFF



YORKLANE 20MM GREY-BUFF



YORKLANE 20MM GREY-BUFF



YORKLANE 20MM GREY-BUFF



YORKLANE 20MM GREY-BUFF



YORKLANE 20MM ALL



YORKLANE 20MM ALL




YORKLANE 20MM ALL



YORKLANE 20MM ALL



YORKLANE 20MM ALL



YORKLANE 20MM ALL



YORKLANE 20MM ALL

KINORIGO®
live.design.

+44(0) 24 7642 2580 design@kinorigo.com