

# SAFETY DATA SHEET RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant. Sanitiser. For professional use.

## 1.3. Details of the supplier of the safety data sheet

Supplier QUIN GLOBAL (UK) LTD

PO BOX 7634 PERTH PH2 1GA

+44 (0)845 381 2233

technical.uk@quinglobal.com

#### 1.4. Emergency telephone number

Emergency telephone +44 (0)845 381 2233 (Mon - Fri) 09:00 - 16:00

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

# Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Not Classified

Environmental hazards Not Classified

## 2.2. Label elements

# Hazard pictograms



Signal word Danger

Hazard statements H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

Additional information For professional users only.

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### **Biocide Labelling**

This product contains active substances - Alkyl benzene ammonium chloride/ DIDECYLDIMETHYLAMMONIUM CHLORIDE/ Amine oxide

## 2.3. Other hazards

Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

#### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Dimethyl ether 30-60%

CAS number: 115-10-6 EC number: 204-065-8 REACH registration number: 01-

2119472128-37-XXXX

Classification

Flam. Gas 1 - H220 Press. Gas (Liq.) - H280

Alkyl benzene ammonium chloride

<1%

CAS number: 121-54-0 EC number: 204-479-9

M factor (Acute) = 10 M factor (Chronic) = 1

Classification

Acute Tox. 3 - H301 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410

#### DIDECYLDIMETHYLAMMONIUM CHLORIDE

<1%

CAS number: 7173-51-5 EC number: 230-525-2

M factor (Acute) = 10

Classification

Classification (67/548/EEC or 1999/45/EC)

C;R34 Xn;R22

Flam. Liq. 3 - H226 Acute Tox. 4 - H302

Skin Corr. 1B - H314
Eye Dam. 1 - H318
STOT SE 3 - H336
Aquatic Acute 1 - H400
Aquatic Chronic 2 - H411

2/11

# RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

Amine oxide <1%

CAS number: 70592-80-2 EC number: 274-687-2

M factor (Acute) = 1

Classification

Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Acute 1 - H400

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical

personnel.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing

can take place.

**Ingestion** Rinse mouth thoroughly with water. Give plenty of water to drink.

**Skin contact** In the event of any sensitisation symptoms developing, ensure further exposure is avoided.

Get medical attention if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 15 minutes and get medical attention.

**Protection of first aiders**No specific requirements are anticipated under normal conditions of use.

# 4.2. Most important symptoms and effects, both acute and delayed

General information See Section 11 for additional information on health hazards. The severity of the symptoms

described will vary dependent on the concentration and the length of exposure.

InhalationMay cause discomfort.IngestionMay cause discomfort.

Skin contact May cause skin sensitisation or allergic reactions in sensitive individuals. Repeated exposure

may cause skin dryness or cracking.

**Eye contact** May be slightly irritating to eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire. Use carbon dioxide or dry

powder to extinguish.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Bursting aerosol containers may be propelled from a fire at high speed. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and

propellant.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Carbon dioxide (CO2). Carbon monoxide (CO). Harmful gases or vapours.

#### 5.3. Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Follow

precautions for safe handling described in this safety data sheet. Provide adequate

ventilation.

## 6.2. Environmental precautions

Environmental precautions

Collect and place in suitable waste disposal containers and seal securely. Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Under normal conditions of handling and storage, spillages from aerosol containers are unlikely. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. If the product is soluble in water, dilute the spillage with water and mop it up. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## 6.4. Reference to other sections

Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Usage precautions

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Avoid exposing aerosol containers to high temperatures or direct sunlight. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Advice on general occupational hygiene

Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 10°C and 25°C. Store in accordance with national regulations.

Keep away from oxidising materials, heat and flames. Keep containers upright. Protect containers from damage. Do not store near heat sources or expose to high temperatures. Do

not expose to temperatures exceeding 50°C/122°F.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

#### Occupational exposure limits

## Dimethyl ether

Long-term exposure limit (8-hour TWA): WEL 400 ppm 766 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 958 mg/m<sup>3</sup>

## Alkyl benzene ammonium chloride

Contains no substances with occupational exposure limit values.

#### Amine oxide

Contains no substances with occupational exposure limit values.

WEL = Workplace Exposure Limit.

#### Dimethyl ether (CAS: 115-10-6)

**DNEL** Workers - Inhalation; Long term systemic effects: 1894 mg/m³

General population - Inhalation; Long term systemic effects: 471 mg/m³

PNEC - Fresh water; 0.155 mg/l

- marine water; 0.016 mg/l - Intermittent release; 1.549 mg/l

- STP; 160 mg/l

Sediment (Freshwater); 0.681 mg/kgSediment (Marinewater); 0.069 mg/kg

- Soil; 0.045 mg/kg

## DIDECYLDIMETHYLAMMONIUM CHLORIDE (CAS: 7173-51-5)

DNEL Derived No Effect Level (DNEL)

PNEC Predicted No Effect Concentration (PNEC)

Amine oxide (CAS: 70592-80-2)

Biological limit values No data available.

#### 8.2. Exposure controls

#### Protective equipment







# RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

Appropriate engineering

controls

Ensure control measures are regularly inspected and maintained. Provide adequate ventilation. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

**Eye/face protection** Eyewear complying with an approved standard should be worn if a risk assessment indicates

eye contact is possible. Personal protective equipment for eye and face protection should

comply with European Standard EN166.

**Hand protection** For users with sensitive skin, it is recommended that suitable protective gloves are worn.

Hygiene measures Good personal hygiene procedures should be implemented. When using do not eat, drink or

smoke. Preventive industrial medical examinations should be carried out. Warn cleaning

personnel of any hazardous properties of the product.

Environmental exposure

controls

Keep container tightly sealed when not in use.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance Aerosol.

Colour Light blue.

Odour Characteristic.

Odour threshold Not available.

**pH** 6-8

Melting point Not available.

Initial boiling point and range 100 deg C

Flash point Not applicable.

**Evaporation rate** Not available.

**Evaporation factor** Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or

explosive limits

Not available.

Vapour pressure Not available.

Vapour density Not available.

Relative density 20oC: 1.0 g/ml

Solubility(ies) Fully miscible

Partition coefficient Not available.

**Auto-ignition temperature** Not available.

**Decomposition Temperature** Not available.

Viscosity Same as water.

**Explosive properties** Not considered to be explosive.

# RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

Oxidising properties Does not meet the criteria for classification as oxidising.

9.2. Other information

Other information No information required.

Volatile organic compound Not known.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** Stable at normal ambient temperatures and when used as recommended.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

## 10.3. Possibility of hazardous reactions

Possibility of hazardous Hazardous reactions will not occur under normal transport or storage conditions

reactions Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight. Containers can

burst violently or explode when heated, due to excessive pressure build-up.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition Thermal decomposition or combustion products may include the following substances: Acrid

smoke or fumes.

## SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Other health effects No data available.

Acute toxicity - oral

products

Notes (oral LD50) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) Based on available data the classification criteria are not met.

Skin corrosion/irritation

Skin corrosion/irritation Slightly irritating.

Serious eye damage/irritation

Serious eye damage/irritation There may be irritation and redness.

Respiratory sensitisation

**Respiratory sensitisation** There may be irritation of the throat with a feeling of tightness in the chest.

Skin sensitisation

**Skin sensitisation** May cause an allergic skin reaction.

Germ cell mutagenicity

# RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure May cause drowsiness or dizziness.

Target organs Central nervous system

Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

Aspiration hazard

**Aspiration hazard** No significant hazard.

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Vapours in high concentrations are narcotic.

**Ingestion** Due to the physical nature of this product, it is unlikely that ingestion will occur. Entry into the

lungs following ingestion or vomiting may cause chemical pneumonitis.

**Skin contact** May cause skin sensitisation or allergic reactions in sensitive individuals. Redness.

Eye contact May be slightly irritating to eyes. May cause discomfort.

## SECTION 12: Ecological information

#### 12.1. Toxicity

# 12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

12.4. Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all

surfaces. Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### General information

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

#### Disposal methods

Do not empty into drains. Empty containers must not be punctured or incinerated because of the risk of an explosion. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents.

# **SECTION 14: Transport information**

#### 14.1. UN number

UN No. (ADR/RID) 1950 UN No. (IMDG) 1950 UN No. (ICAO) 1950 UN No. (ADN) 1950

#### 14.2. UN proper shipping name

Proper shipping name

**AEROSOLS** 

(ADR/RID)

Proper shipping name (IMDG) AEROSOLS

Proper shipping name (ICAO) AEROSOLS

Proper shipping name (ADN) AEROSOLS

#### 14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

ADR/RID label 2.1

IMDG class 2.1

ICAO class/division 2.1

ADN class 2.1

# Transport labels



# 14.4. Packing group

ADR/RID packing group None

IMDG packing group None

ICAO packing group None

# RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

ADN packing group None

#### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

EmS F-D, S-U

ADR transport category 2

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

(D)

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

Tunnel restriction code

and the IBC Code

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations EH40/2005 Workplace exposure limits.

The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Council Directive of 20 May 1975 on the approximation of the laws of the Member States

relating to aerosol dispensers (75/324/EEC) (as amended).

Health and environmental

listings

This product is classified as a biocide, under The Biocidal Product Regulation (BPR, Regulation (EU) 528/2012) This product is classified as a cosmetic, under the Cosmetic

Products Regulation (as amended) in the European Union. The Statutory list of ingredients is

carried on the product label.

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# SECTION 16: Other information

# RAMSOL SANITISER DISINFECTANT SPRAY 500ML AEROSOL (RS3)

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC<sub>50</sub>: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations

and acronyms

Aerosol = Aerosol

Skin Irrit. = Skin irritation Skin Sens. = Skin sensitisation

Asp. Tox. = Aspiration hazard

Aguatic Chronic = Hazardous to the aguatic environment (chronic)

Classification procedures

according to Regulation (EC)

1272/2008

Aerosol 1 - H222, H229: Expert judgement. Skin Irrit. 2 - H315, Skin Sens. 1 - H317, Asp.

Tox. 1 - H304, Aquatic Chronic 2 - H411: Calculation method.

Training advice Read and follow manufacturer's recommendations. Only trained personnel should use this

material.

Revision date 29/04/2020

Revision 52

Supersedes date 29/04/2020

SDS number 23196

Hazard statements in full H220 Extremely flammable gas.

H222 Extremely flammable aerosol.

H229 Pressurised container: may burst if heated.

H280 Contains gas under pressure; may explode if heated.

H301 Toxic if swallowed. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

DIRECTIONS FOR USE

**PRODUCT LOGO** 

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.